

The Finance Shop Import Specifications

Background

The Finance Shop has an XML Schema that can be used to import client and application data into TFS via the Import/Export Dialog. Any imported XML will be validated against the schema before being processed.

XML Schema Definition

```
<?xml version="1.0" encoding="iso-8859-1" ?>
<xss:schema xmlns:xss="http://www.w3.org/2001/XMLSchema">
  <xss:element name="TFSImport">
    <xss:complexType>
      <xss:sequence>
        <xss:element name="Source">
          <xss:complexType>
            <xss:sequence>
              <xss:element name="Version" type="xs:string" minOccurs="1" maxOccurs="1"/>
              <xss:element name="FileReference" type="xs:string" minOccurs="1" maxOccurs="1"/>
              <xss:element name="ImportLicence" type="xs:string" minOccurs="1" maxOccurs="1"/>
            </xss:sequence>
          </xss:complexType>
        </xss:element>
      </xss:sequence>
      <xss:element name="ReferralSource">
        <xss:complexType>
          <xss:sequence>
            <xss:element name="BrokerId" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <!-- [TFS Administration Tool] Entity->Brokers->Broker Dialog: InternalId -->
            <xss:element name="BrokerEntityId" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <!-- [TFS Administration Tool] Entity->Entity->(Broker Role)Entity Dialog: InternalId -->
            <xss:element name="ReferrerCompanyEntityId" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <!-- [TFS Administration Tool] Entity->Entity->(Referee Role)Entity Dialog: InternalId -->
            <xss:element name="ContextId" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <!-- [TFS Administration Tool] Organisation->Context->Context Dialog: InternalId -->
          </xss:sequence>
        </xss:complexType>
      </xss:element>
    </xss:sequence>
  </xss:complexType>
</xss:element>

<xss:element name="Client" minOccurs="1" maxOccurs="1">
```

```

<xs:complexType>
  <xs:sequence>
    <xs:element name="ClientType" type="xs:integer" minOccurs="1" maxOccurs="1"/>
    <!-- [TFS Administration Tool] General->Static Data->(List:Client Type)List Item Dialog: InternalId -->
    <xs:element name="ClientIsTrustee" type="xs:boolean" minOccurs="0" maxOccurs="1"/>
    <xs:element name="ClientNotes" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="Entity" type="Entity" minOccurs="1" maxOccurs="1"/>
    <xs:element name="Trust" minOccurs="0" maxOccurs="1">
      <xs:complexType>
        <xs:sequence>
          <!-- Trust element only applies if ClientIsTrustee is true -->
          <xs:element name="Entity" type="Entity" minOccurs="1" maxOccurs="1"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  <xs:element name="Contact" minOccurs="0" maxOccurs="6">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="ContRelationship" type="xs:integer" minOccurs="1" maxOccurs="1"/>
        <!-- [TFS Administration Tool] General->Static Data->(List:Relationship Type)List Item Dialog: InternalId -->
        <xs:element name="ContIsGuarantor" type="xs:boolean" minOccurs="1" maxOccurs="1"/>
        <xs:element name="ContIncludeOnApp" type="xs:boolean" minOccurs="1" maxOccurs="1"/>
        <xs:element name="Entity" type="Entity" minOccurs="1" maxOccurs="1"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
<xs:element name="Application">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="ApplType" type="xs:integer" minOccurs="0" maxOccurs="1"/>
      <!-- [TFS Administration Tool] General->Static Data->(List:Application Type)List Item Dialog: InternalId -->
      <xs:element name="ApplFinanceType" type="xs:integer" minOccurs="1" maxOccurs="1"/>
      <!-- [TFS Administration Tool] General->Static Data->(List:Finance Type)List Item Dialog: InternalId -->
      <xs:element name="ApplFinanceState" type="stateType" minOccurs="0" maxOccurs="1"/>
      <xs:element name="ApplFinancier" type="xs:string" minOccurs="0" maxOccurs="1"/>
      <xs:element name="ApplDateStart" type="DateType" minOccurs="0" maxOccurs="1"/>
      <xs:element name="ApplCostOfGoodsNet" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
      <xs:element name="ApplCostOfGoodsGST" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
      <xs:element name="ApplCostOfGoodsTotal" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
      <xs:element name="ApplAdditionalFees" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
      <xs:element name="ApplAdditionalTaxes" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
      <xs:element name="ApplDepositCash" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
      <xs:element name="ApplDepositTradeIn" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
      <xs:element name="Brokerage" minOccurs="0" maxOccurs="1">
        <xs:complexType>
          <xs:sequence>

```

```

<xs:element name="Revenue" type="Revenue" minOccurs="0" maxOccurs="1"/>
<xs:element name="BkgRate" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="ApplAmtFinancedExBkg" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplAmtFinancedTotal" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplResidualRate" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplResidualNet" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplWholesaleRate" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplGstRate" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplStampDutyRate" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplRepaymentPeriod" type="xs:integer" minOccurs="0" maxOccurs="1"/>
<!-- [TFS Administration Tool] General->Static Data->(List:Repayment Period) List Item Dialog: InternalId -->
<xs:element name="ApplRepaymentStructure" type="xs:integer" minOccurs="0" maxOccurs="1"/>
<!-- [TFS Administration Tool] General->Static Data->(List:Repayment Structure) List Item Dialog: InternalId -->
<xs:element name="ApplInAdvance" type="xs:boolean" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplTerm" type="xs:integer" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplTermCharges" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplTermChargesGST" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="ApplGSTOnTCFinanced" type="xs:integer" minOccurs="0" maxOccurs="1"/>
<!-- [TFS Administration Tool] General->Static Data->(List:GST on AP Term Charges) List Item Dialog: InternalId -->
<xs:element name="ApplNotes" type="xs:string" minOccurs="0" maxOccurs="1"/>
<xs:element name="Goods" minOccurs="0" maxOccurs="6">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="GoodsType" type="xs:integer" minOccurs="1" maxOccurs="1"/>
            <!-- [TFS Administration Tool] General->Static Data->(List:Asset Type) List Item Dialog: InternalId -->
            <xs:element name="GoodsCategory" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <!-- [TFS Administration Tool] General->Static Data->(List:Asset Category) List Item Dialog: InternalId -->
            <xs:element name="GoodsNew" type="xs:boolean" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsKilometres" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsYear" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsMake" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsModel" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsSerialNumber" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsBodyType" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsRegNumber" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsVinChassisNumber" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsEngineNumber" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsCapacity" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsAccessories" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsPrivateSale" type="xs:boolean" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsRegistrationFee" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsTaxes" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
            <xs:element name="GoodsDepositCash" type="xs:decimal" minOccurs="0" maxOccurs="1"/>

```

```

<xs:element name="GoodsDepositTradeIn" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="GoodsNet" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="GoodsGST" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="GoodsTotal" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
<xs:element name="GoodsVendor" minOccurs="0" maxOccurs="1">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="GoodsVendorName" type="xs:string" minOccurs="1" maxOccurs="1"/>
            <xs:element name="GoodsVendorContact" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="Telephone" type="Telephone" minOccurs="0" maxOccurs="unbounded"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="GoodsNotes" type="xs:string" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Revenue" type="Revenue" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="Repayment">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="RepNumber" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <xs:element name="RepNumberOf" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <xs:element name="RepNet" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
            <xs:element name="RepGST" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
            <xs:element name="RepStampDuty" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
            <xs:element name="RepTotal" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
<xs:attribute name="NumberOfClients" type="xs:integer"/>
</xs:complexType>
</xs:element>

<xs:complexType name="Address">
    <xs:sequence>
        <xs:element name="AddrDescription" type="xs:integer" minOccurs="0" maxOccurs="1"/>
        <!-- [TFS Administration Tool] General->Static Data->(List:Address Description)List Item Dialog: InternalId -->
        <xs:element name="AddressLine1" type="xs:string" minOccurs="0" maxOccurs="1"/>

```

```

<xs:element name="AddressLine2" type="xs:string" minOccurs="0" maxOccurs="1"/>
<xs:element name="AddrSuburb" type="xs:string" minOccurs="0" maxOccurs="1"/>
<xs:element name="AddrState" type="stateType" minOccurs="0" maxOccurs="1"/>
<xs:element name="AddrPostcode" type="xs:string" minOccurs="0" maxOccurs="1"/>
<xs:element name="AddrCountry" type="xs:string" minOccurs="0" maxOccurs="1"/>
<xs:element name="AddressYearsAt" type="xs:string" minOccurs="0" maxOccurs="1"/>
</xs:sequence>
</xs:complexType>

<xs:complexType name="Entity">
<xs:sequence>
    <xs:element name="EntityType" type="xs:integer" minOccurs="1" maxOccurs="1"/>
    <!-- [TFS Administration Tool] General->Static Data->(List:Entity Type)List Item Dialog: InternalId -->
    <xs:element name="EntityFullName" type="xs:string" minOccurs="1" maxOccurs="1"/>
    <xs:element name="EntityReferenceName" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityTradeName" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityTrustType" type="xs:integer" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityTrustDeed" type="DateType " minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityTitle" type="xs:integer" minOccurs="0" maxOccurs="1"/>
    <!-- [TFS Administration Tool] General->Static Data->(List:Title)List Item Dialog: InternalId -->
    <xs:element name="EntityFirstName" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntitySurname" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityABN" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityACN" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityLicenceNumber" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityLicenceExpiry" type="DateType" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityDOB" type="DateType" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityIncorRegistered" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityEstablished" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityIncorporated" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityGender" type="xs:integer" minOccurs="0" maxOccurs="1"/>
    <!-- [TFS Administration Tool] General->Static Data->(List:Gender)List Item Dialog: InternalId -->
    <xs:element name="EntityPrimActivity" type="xs:string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="EntityBank" minOccurs="0" maxOccurs="1">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="EntityBankName" type="xs:string" minOccurs="1" maxOccurs="1"/>
                <xs:element name="Telephone" type="Telephone" minOccurs="0" maxOccurs="unbounded"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="EntityAccountant" minOccurs="0" maxOccurs="1">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="EntityAccountantName" type="xs:string" minOccurs="1" maxOccurs="1"/>
                <xs:element name="EntityAcctContactName" type="xs:string" minOccurs="0" maxOccurs="1"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>

```

```

        <xs:element name="Telephone" type="Telephone" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="EntityNotes" type="xs:string" minOccurs="0" maxOccurs="1"/>
<xs:element name="PrimaryAddress" minOccurs="0" maxOccurs="1">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Address" type="Address" minOccurs="0" maxOccurs="1"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="PreviousAddress" minOccurs="0" maxOccurs="1">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Address" type="Address" minOccurs="0" maxOccurs="1"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="Telephone" type="Telephone" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="Reference" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="RefType" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <!-- [TFS Administration Tool] General->Static Data->(List:Reference Type)List Item Dialog: InternalId -->
            <xs:element name="RefName" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="RefNotes" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="Telephone" type="Telephone" minOccurs="0" maxOccurs="unbounded"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="Asset" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="AssetCategory" type="xs:integer" minOccurs="0" maxOccurs="1"/>
            <!-- [TFS Administration Tool] General->Static Data->(List:Asset Category)List Item Dialog: InternalId -->
            <xs:element name="AssetValue" type="xs:decimal" minOccurs="1" maxOccurs="1"/>
            <xs:element name="AssetEncumbName" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="AssetEncumbValue" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
            <xs:element name="AssetEncumbNotes" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="AssetNotes" type="xs:string" minOccurs="0" maxOccurs="1"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="Liability" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>

```

```

<xs:sequence>
    <xs:element name="LiabCategory" type="xs:integer" minOccurs="0" maxOccurs="1"/>
    <!-- [TFS Administration Tool] General->Static Data->(List:Liability Category)List Item Dialog: InternalId -->
    <xs:element name="LiabValue" type="xs:decimal" minOccurs="1" maxOccurs="1"/>
    <xs:element name="LiabNotes" type="xs:string" minOccurs="0" maxOccurs="1"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Employment" minOccurs="0" maxOccurs="6">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="EmpOccupation" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="EmployedSince" type="xs:string" minOccurs="0" maxOccurs="1"/>
            <xs:element name="EmployerName" type="xs:string" minOccurs="1" maxOccurs="1"/>
            <xs:element name="EmpNotes" type="xs:string" minOccurs="0" maxOccurs="1"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="Revenue">
    <xs:sequence>
        <xs:element name="RevType" type="xs:integer" minOccurs="1" maxOccurs="1"/>
        <!-- [TFS Administration Tool] General->Static Data->(List:Revenue Type)List Item Dialog: InternalId -->
        <xs:element name="RevFinanced" type="xs:boolean" minOccurs="1" maxOccurs="1"/>
        <xs:element name="RevGSTApplies" type="xs:boolean" minOccurs="1" maxOccurs="1"/>
        <xs:element name="RevAllToBroker" type="xs:boolean" minOccurs="0" maxOccurs="1"/>
        <xs:element name="RevNet" type="xs:decimal" minOccurs="1" maxOccurs="1"/>
        <xs:element name="RevGST" type="xs:decimal" minOccurs="1" maxOccurs="1"/>
        <xs:element name="RevTotal" type="xs:decimal" minOccurs="1" maxOccurs="1"/>
        <xs:element name="RevBrokerNet" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
        <xs:element name="RevBrokerGST" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
        <xs:element name="RevBrokerTotal" type="xs:decimal" minOccurs="0" maxOccurs="1"/>
        <xs:element name="RevNotes" type="xs:string" minOccurs="0" maxOccurs="1"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="Telephone">
    <xs:sequence>
        <xs:element name="TelDescription" type="xs:integer" minOccurs="1" maxOccurs="1"/>
        <!-- [TFS Administration Tool] General->Static Data->(List:Telephone Description)List Item Dialog: InternalId -->
        <xs:element name="TelNumber" type="xs:string" minOccurs="1" maxOccurs="1"/>
    </xs:sequence>
</xs:complexType>

```

```

<xs:simpleType name="stateType">
    <xs:restriction base="xs:string">
        <xs:enumeration value="ACT"/>
        <xs:enumeration value="NSW"/>
        <xs:enumeration value="NT"/>
        <xs:enumeration value="QLD"/>
        <xs:enumeration value="SA"/>
        <xs:enumeration value="TAS"/>
        <xs:enumeration value="VIC"/>
        <xs:enumeration value="WA"/>
    </xs:restriction>
</xs:simpleType>

<xs:simpleType name="DateValueType">
    <xs:restriction base="xs:token">
        <xs:pattern value="(^$|[0-9]{1,2}/[0-9]{1,2}/[0-9]{4})" />
    </xs:restriction>
</xs:simpleType>

<xs:complexType name="DateType">
    <xs:simpleContent>
        <xs:extension base="DateValueType">
            <xs:attribute name="UniqueID" />
        </xs:extension>
    </xs:simpleContent>
</xs:complexType>
</xs:schema>

```

Notes on the schema

Where you see an element with a comment like in the example below...

```

<xs:element name="ContRelationship" type="xs:integer" minOccurs="1" maxOccurs="1"/>
<!-- [TFS Administration Tool] General->Static Data->(List:Relationship Type) List Item Dialog: InternalId -->

```

The integer value for the element should match the TFS List Item value. To find the value needed follow the comment information.

Open the TFS Administration Tool, select General from the sidebar, click on Static Data and select the Static List 'Relationship Type'

TFS Administration Tool - [Static Data]

File Edit View Administration Help

Enterprise: Dev1 Finance Pty Ltd
Context: VIC - Dev1 Finance Pty Ltd
State: Victoria

Organisation	Static List	List Items
General	Name	Name
Static Data	Make	Trust
Suburb	Marital Status	Secretary
	MME Application	Sales/Marketing
	MME Method	Proprietor
	MME Status	Financial Controller
	MME Type	Consultant
	Output Format	Chief Executive Officer
	Permission Level	Accounts/Administration
	Position	Accountant
	Pre-defined Date Period	Applicant
	Preference Level	Shareholder
	Preference Type	Guarantor
	Preferred Contact Method	Client
	Preferred Email Method	[Other]
	Priority	Friend
	Rank	Employer
	Reference Type	Employee
	Referral Method	Trustee
	Relationship Type	[Unknown]
	Réparation Period	[Not Applicable]
	Réparation Structure	Manager
	Replacement Status	Spouse
	Report Catalog Group	Sibling
	Report Criteria Method	Child

Entity

Security

Mail Merge

Report


Templates

Edit Close

View New Edit Delete

Idle ksmith/VIC - Dev1 Finance Pty 7/12/2012 4:37 PM INST NUM CAPS SCRL

Select the item in the list you want to know the value for and click view. In the Static Data dialog you look at the Internal ID field.



So in the example above to indicate a contact has a relationship to the client of 'Guarantor' you would write the element as follows...

<ContRelationship>-521</ContRelationship>

XML Example – minimum required

```
<TFSImport>
  <Source>
    <Version>9.0.2</Version>
    <FileReference>RogerRabbit.xml</FileReference>
    <ImportLicence><![CDATA[Y9BmlDXNBhggAYTxU1254esdgealTkNXL AoKkkmeYAMsaNOFrqgbC2klnzo7]]></ImportLicence>
  </Source>
  <Client>
    <ClientType>-1</ClientType>
    <Entity>
      <EntityType>-294</EntityType>
      <EntityFullName>Roger Rabbit</EntityFullName>
    </Entity>
  </Client>
</TFSImport>
```

XML Example

```
<TFSImport>
  <Source>
    <Version>9.0.2</Version>
    <FileReference>RogerRabbit.xml</FileReference>
    <ImportLicence><![CDATA[Y9BmlDXNBhggAYTxU1254esdgealTkNXL AoKkkmeYAMsaNOFrqgbC2klnzo7]]></ImportLicence>
  </Source>
  <ReferralSource>
    <BrokerId>23</BrokerId>
    <BrokerEntityId>42</BrokerEntityId>
    <ReferrerCompanyEntityId>33</ReferrerCompanyEntityId>
  </ReferralSource>
</TFSImport>
```

```
<ContextId>1</ContextId>
</ReferralSource>
<Client>
    <ClientType>-1</ClientType>
    <ClientNotes>New Client. Good Credit History.</ClientNotes>
    <Entity>
        <EntityType>-294</EntityType>
        <EntityFullName>Roger Rabbit</EntityFullName>
        <EntityReferenceName>Rabbit, Roger</EntityReferenceName>
        <EntityTitle>-25</EntityTitle>
        <EntityFirstName>Roger Marshall</EntityFirstName>
        <EntitySurname>Rabbit</EntitySurname>
        <EntityLicenceNumber>xyz12345</EntityLicenceNumber>
        <EntityLicenceExpiry>12/03/2015</EntityLicenceExpiry>
        <EntityDOB>23/04/1965</EntityDOB>
        <EntityGender>-19</EntityGender>
        <EntityBank>
            <EntityBankName>Westpac</EntityBankName>
            <Telephone>
                <TelDescription>-501</TelDescription>
                <TelNumber>03 9871 5566</TelNumber>
            </Telephone>
        </EntityBank>
        <EntityAccountant>
            <EntityAccountantName>Worthing Brothers Pty Ltd</EntityAccountantName>
            <EntityAcctContactName>Mr John Foster</EntityAcctContactName>
            <Telephone>
                <TelDescription>-501</TelDescription>
                <TelNumber>03 9631 1122</TelNumber>
            </Telephone>
        </EntityAccountant>
```

```
<EntityNotes></EntityNotes>
<PrimaryAddress>
  <Address>
    <AddrDescription>-465</AddrDescription>
    <AddressLine1>Flat 1</AddressLine1>
    <AddressLine2>32 Leonard Avenue</AddressLine2>
    <AddrSuburb>Hampton East</AddrSuburb>
    <AddrState>VIC</AddrState>
    <AddrPostcode>3188</AddrPostcode>
    <AddrCountry>-1</AddrCountry>
    <AddressYearsAt>2.5</AddressYearsAt>
  </Address>
</PrimaryAddress>
<PreviousAddress>
  <Address>
    <AddrDescription>-465</AddrDescription>
    <AddressLine1>4 Hogarth Road</AddressLine1>
    <AddrSuburb>Noble Park</AddrSuburb>
    <AddrState>VIC</AddrState>
    <AddrPostcode>3174</AddrPostcode>
    <AddrCountry>-1</AddrCountry>
    <AddressYearsAt>1</AddressYearsAt>
  </Address>
</PreviousAddress>
<Telephone>
  <TelDescription>-14</TelDescription>
  <TelNumber>0456 789 522</TelNumber>
</Telephone>
<Telephone>
  <TelDescription>-492</TelDescription>
  <TelNumber>rogerRabbit@gmail.com</TelNumber>
```

```
</Telephone>
<Telephone>
    <TelDescription>-500</TelDescription>
    <TelNumber>03 9965 0123</TelNumber>
</Telephone>
<Reference>
    <RefType>-28</RefType>
    <RefName>American Express</RefName>
    <RefNotes>Good Credit History, pays on time.</RefNotes>
    <Telephone>
        <TelDescription>-501</TelDescription>
        <TelNumber>1300 854 652</TelNumber>
    </Telephone>
</Reference>
<Asset>
    <AssetCategory>-115</AssetCategory>
    <AssetValue>21000</AssetValue>
    <AssetEncumbName>BOQ</AssetEncumbName>
    <AssetEncumbValue>13500</AssetEncumbValue>
    <AssetEncumbNotes>2 more years on loan.</AssetEncumbNotes>
    <AssetNotes>2010 Mazda CX7</AssetNotes>
</Asset>
<Asset>
    <AssetCategory>-78</AssetCategory>
    <AssetValue>425000</AssetValue>
    <AssetEncumbName>NAB</AssetEncumbName>
    <AssetEncumbValue>190000</AssetEncumbValue>
</Asset>
<Liability>
    <LiabCategory>-91</LiabCategory>
    <LiabValue>1500</LiabValue>
```

```

<LiabNotes>Current Balance on AMEX</LiabNotes>
</Liability>
<Employment>
    <EmpOccupation>Architect</EmpOccupation>
    <EmployedSince>March 2007</EmployedSince>
    <EmployerName>Glass Houses Inc</EmployerName>
    <EmpNotes></EmpNotes>
</Employment>
</Entity>

<Contact>
    <ContRelationship>-307</ContRelationship>
    <ContIsGuarantor>False</ContIsGuarantor>
    <ContIncludeOnApp>True</ContIncludeOnApp>
    <Entity>
        <EntityType>-294</EntityType>
        <EntityFullName>Jessica Rabbit</EntityFullName>
        <EntityTitle>-26</EntityTitle>
        <EntityFirstName>Jessica</EntityFirstName>
        <EntitySurname>Rabbit</EntitySurname>
        <EntityGender>-18</EntityGender>
        <Telephone>
            <TelDescription>-492</TelDescription>
            <TelNumber>rogerRabbit@gmail.com</TelNumber>
        </Telephone>
    </Entity>
</Contact>

<Application>
    <ApplFinanceType>-137</ApplFinanceType>
    <ApplFinanceState>NSW</ApplFinanceState>

```

```

<ApplCostOfGoodsNet>90000.00</ApplCostOfGoodsNet>
<ApplCostOfGoodsGST>9000.00</ApplCostOfGoodsGST>
<ApplCostOfGoodsTotal>99000.00</ApplCostOfGoodsTotal>
<Brokerage>
    <Revenue>
        <RevType>-491</RevType>
        <RevFinanced>true</RevFinanced>
        <RevGSTApplies>true</RevGSTApplies>
        <RevAllToBroker>true</RevAllToBroker>
        <RevNet>1650</RevNet>
        <RevGST>165</RevGST>
        <RevTotal>2030.00</RevTotal>
    </Revenue>
    <BkgRate>2</BkgRate>
</Brokerage>
<ApplAmtFinancedExBkg>101499.80</ApplAmtFinancedExBkg>
<ApplAmtFinancedTotal>103529.79</ApplAmtFinancedTotal>
<ApplResidualRate>10</ApplResidualRate>
<ApplResidualNet>10149.98</ApplResidualNet>
<ApplWholesaleRate>6.5</ApplWholesaleRate>
<ApplGstRate>10</ApplGstRate>
<ApplRepaymentPeriod>-266</ApplRepaymentPeriod>
<ApplRepaymentStructure>-483</ApplRepaymentStructure>
<ApplInAdvance>true</ApplInAdvance>
<ApplTerm>72</ApplTerm>
<ApplTermCharges>24997.86</ApplTermCharges>
<ApplGSTOnTCFinanced>-2444</ApplGSTOnTCFinanced>
<ApplGSTOnTCAmount>2499.79</ApplGSTOnTCAmount>
<Goods>
    <GoodsNet>90000.00</GoodsNet>
    <GoodsGST>9000.00</GoodsGST>

```

```
<GoodsTotal>99000.00</GoodsTotal>
<GoodsNotes>Camper van</GoodsNotes>
<GoodsVendor>
    <GoodsVendorName>Mobile Holidays Pty Ltd</GoodsVendorName>
    <GoodsVendorContact>George Foreman</GoodsVendorContact>
    <Telephone>
        <TelDescription>-501</TelDescription>
        <TelNumber>02 8888 5555</TelNumber>
    </Telephone>
</GoodsVendor>
</Goods>
<Repayment>
    <RepNumber>1</RepNumber>
    <RepNumberOf>1</RepNumberOf>
    <RepNet>1615.94</RepNet>
    <RepTotal>1615.94</RepTotal>
</Repayment>
</Application>
</Client>
</TFSImport>
```